

<http://www.support.xerox.com/support/colorqube-9300-series/documentation/frfr.html?operatingSystem=linux&fileLanguage=fr>

D [12/Mar/2015:15:39:59 +0100] cupsdSetBusyState: newbusy="Dirty files", busy="Active clients and dirty files"
D [12/Mar/2015:15:39:59 +0100] cupsdReadClient: 15 POST / HTTP/1.1
D [12/Mar/2015:15:39:59 +0100] cupsdSetBusyState: newbusy="Active clients and dirty files", busy="Dirty files"
D [12/Mar/2015:15:39:59 +0100] cupsdAuthorize: No authentication data provided.
D [12/Mar/2015:15:39:59 +0100] cupsdReadClient: 15 1.1 Get-Jobs 1
D [12/Mar/2015:15:39:59 +0100] Get-Jobs ipp://localhost/printers/
D [12/Mar/2015:15:39:59 +0100] Returning IPP successful-ok for Get-Jobs (ipp://localhost/printers/) from localhost
D [12/Mar/2015:15:39:59 +0100] cupsdSetBusyState: newbusy="Dirty files", busy="Active clients and dirty files"
D [12/Mar/2015:15:39:59 +0100] cupsdReadClient: 15 POST / HTTP/1.1
D [12/Mar/2015:15:39:59 +0100] cupsdSetBusyState: newbusy="Active clients and dirty files", busy="Dirty files"
D [12/Mar/2015:15:39:59 +0100] cupsdAuthorize: No authentication data provided.
D [12/Mar/2015:15:39:59 +0100] cupsdReadClient: 15 1.1 Get-Jobs 1
D [12/Mar/2015:15:39:59 +0100] Get-Jobs ipp://localhost/printers/
D [12/Mar/2015:15:39:59 +0100] Returning IPP successful-ok for Get-Jobs (ipp://localhost/printers/) from localhost
D [12/Mar/2015:15:39:59 +0100] cupsdSetBusyState: newbusy="Dirty files", busy="Active clients and dirty files"
D [12/Mar/2015:15:39:59 +0100] cupsdReadClient: 15 POST / HTTP/1.1
D [12/Mar/2015:15:39:59 +0100] cupsdSetBusyState: newbusy="Active clients and dirty files", busy="Dirty files"
D [12/Mar/2015:15:39:59 +0100] cupsdAuthorize: No authentication data provided.
D [12/Mar/2015:15:39:59 +0100] cupsdReadClient: 15 1.1 Create-Printer-Subscription 1
D [12/Mar/2015:15:39:59 +0100] Create-Printer-Subscription /
D [12/Mar/2015:15:39:59 +0100] cupsdCreateSubscription(con=0x7f3b2672e2e0(15), uri="/")
D [12/Mar/2015:15:39:59 +0100] pullmethod="ippget"
D [12/Mar/2015:15:39:59 +0100] notify-lease-duration=86400
D [12/Mar/2015:15:39:59 +0100] notify-time-interval=0
D [12/Mar/2015:15:39:59 +0100] cupsdAddSubscription(mask=17800, dest=(nil)(), job=(nil)(0), uri="(null)")
D [12/Mar/2015:15:39:59 +0100] Added subscription #29 for server.
D [12/Mar/2015:15:39:59 +0100] cupsdMarkDirty(-----S)
D [12/Mar/2015:15:39:59 +0100] cupsdSetBusyState: newbusy="Active clients and dirty files", busy="Active clients and dirty files"
D [12/Mar/2015:15:39:59 +0100] Returning IPP successful-ok for Create-Printer-Subscription (/) from localhost
D [12/Mar/2015:15:39:59 +0100] cupsdSetBusyState: newbusy="Dirty files", busy="Active clients and dirty files"
D [12/Mar/2015:15:40:00 +0100] cupsdReadClient: 15 POST / HTTP/1.1
D [12/Mar/2015:15:40:00 +0100] cupsdSetBusyState: newbusy="Active clients and dirty files", busy="Dirty files"
D [12/Mar/2015:15:40:00 +0100] cupsdAuthorize: No authentication data provided.

D [12/Mar/2015:15:40:00 +0100] cupsdReadClient: 15 1.1 Get-Notifications 1
D [12/Mar/2015:15:40:00 +0100] Get-Notifications /
D [12/Mar/2015:15:40:00 +0100] cupsdIsAuthorized: requesting-user-name="snfolc17"
D [12/Mar/2015:15:40:00 +0100] Returning IPP successful-ok for Get-Notifications (/) from localhost
D [12/Mar/2015:15:40:00 +0100] cupsdSetBusyState: newbusy="Dirty files", busy="Active clients and dirty files"
D [12/Mar/2015:15:40:14 +0100] cupsdAcceptClient: 16 from localhost (Domain)
D [12/Mar/2015:15:40:14 +0100] cupsdReadClient: 16 POST /printers/Xerox-ColorQube-9301 HTTP/1.1
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Active clients and dirty files", busy="Dirty files"
D [12/Mar/2015:15:40:14 +0100] cupsdAuthorize: No authentication data provided.
D [12/Mar/2015:15:40:14 +0100] cupsdReadClient: 16 1.1 Print-Job 1
D [12/Mar/2015:15:40:14 +0100] Print-Job ipp://localhost/printers/Xerox-ColorQube-9301
D [12/Mar/2015:15:40:14 +0100] [Job ???] Auto-typing file...
I [12/Mar/2015:15:40:14 +0100] [Job ???] Request file type is application/vnd.cups-pdf-banner.
D [12/Mar/2015:15:40:14 +0100] Print-Job client-error-document-format-not-supported: Unsupported format "application/vnd.cups-pdf-banner".
E [12/Mar/2015:15:40:14 +0100] Returning IPP client-error-document-format-not-supported for Print-Job (ipp://localhost/printers/Xerox-ColorQube-9301) from localhost
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Dirty files", busy="Active clients and dirty files"
D [12/Mar/2015:15:40:14 +0100] cupsdAcceptClient: 17 from localhost (Domain)
D [12/Mar/2015:15:40:14 +0100] cupsdReadClient: 16 WAITING Closing on EOF
D [12/Mar/2015:15:40:14 +0100] cupsdCloseClient: 16
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Dirty files", busy="Dirty files"
D [12/Mar/2015:15:40:14 +0100] cupsdReadClient: 17 POST /printers/Xerox-ColorQube-9301 HTTP/1.1
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Active clients and dirty files", busy="Dirty files"
D [12/Mar/2015:15:40:14 +0100] cupsdAuthorize: No authentication data provided.
D [12/Mar/2015:15:40:14 +0100] cupsdReadClient: 17 1.1 Print-Job 1
D [12/Mar/2015:15:40:14 +0100] Print-Job ipp://localhost/printers/Xerox-ColorQube-9301
D [12/Mar/2015:15:40:14 +0100] cupsdMarkDirty(----J-)
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Active clients and dirty files", busy="Active clients and dirty files"
D [12/Mar/2015:15:40:14 +0100] add_job: requesting-user-name="snfolc17"
D [12/Mar/2015:15:40:14 +0100] Adding default job-sheets values "none,none" ...
I [12/Mar/2015:15:40:14 +0100] [Job 8] Adding start banner page "none".
D [12/Mar/2015:15:40:14 +0100] cupsdMarkDirty(-----S)
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Active clients and dirty files", busy="Active clients and dirty files"
D [12/Mar/2015:15:40:14 +0100] cupsdMarkDirty(----J-)
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Active clients and dirty files", busy="Active clients and dirty files"
I [12/Mar/2015:15:40:14 +0100] [Job 8] Adding end banner page "none".
I [12/Mar/2015:15:40:14 +0100] [Job 8] File of type text/plain queued by "snfolc17".
D [12/Mar/2015:15:40:14 +0100] [Job 8] hold_until=0
I [12/Mar/2015:15:40:14 +0100] [Job 8] Queued on "Xerox-ColorQube-9301" by "snfolc17".

D [12/Mar/2015:15:40:14 +0100] cupsdMarkDirty(----J-)
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Active clients and dirty files", busy="Active clients and dirty files"
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Active clients and dirty files", busy="Active clients and dirty files"
D [12/Mar/2015:15:40:14 +0100] cupsdMarkDirty(-----S)
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Active clients and dirty files", busy="Active clients and dirty files"
D [12/Mar/2015:15:40:14 +0100] [Job 8] job-sheets=none,none
D [12/Mar/2015:15:40:14 +0100] [Job 8] argv[0]="Xerox-ColorQube-9301"
D [12/Mar/2015:15:40:14 +0100] [Job 8] argv[1]="8"
D [12/Mar/2015:15:40:14 +0100] [Job 8] argv[2]="snfolc17"
D [12/Mar/2015:15:40:14 +0100] [Job 8] argv[3]="Test Page"
D [12/Mar/2015:15:40:14 +0100] [Job 8] argv[4]="1"
D [12/Mar/2015:15:40:14 +0100] [Job 8] argv[5]="job-uuid=urn:uuid:b224944f-94dd-3a8b-4b2c-4855f7ed663b job-originating-host-name=localhost time-at-creation=1426171214 time-at-processing=1426171214"
D [12/Mar/2015:15:40:14 +0100] [Job 8] argv[6]="/var/spool/cups/d00008-001"
D [12/Mar/2015:15:40:14 +0100] [Job 8] envp[0]="CUPS_CACHEDIR=/var/cache/cups"
D [12/Mar/2015:15:40:14 +0100] [Job 8] envp[1]="CUPS_DATADIR=/usr/share/cups"
D [12/Mar/2015:15:40:14 +0100] [Job 8] envp[2]="CUPS_DOCROOT=/usr/share/cups/doc-root"
D [12/Mar/2015:15:40:14 +0100] [Job 8] envp[3]="CUPS_FONTPATH=/usr/share/cups/fonts"
D [12/Mar/2015:15:40:14 +0100] [Job 8] envp[4]="CUPS_REQUESTROOT=/var/spool/cups"
D [12/Mar/2015:15:40:14 +0100] [Job 8] envp[5]="CUPS_SERVERBIN=/usr/lib/cups"
D [12/Mar/2015:15:40:14 +0100] [Job 8] envp[6]="CUPS_SERVERROOT=/etc/cups"
D [12/Mar/2015:15:40:14 +0100] [Job 8] envp[7]="CUPS_STATEDIR=/var/run/cups"
D [12/Mar/2015:15:40:14 +0100] [Job 8] envp[8]="HOME=/var/spool/cups/tmp"
D [12/Mar/2015:15:40:14 +0100] [Job 8] envp[9]="PATH=/usr/lib/cups/filter:/usr/bin:/usr/sbin:/bin:/usr/bin"
D [12/Mar/2015:15:40:14 +0100] [Job 8] envp[10]="SERVER_ADMIN=root@snfolc17"
D [12/Mar/2015:15:40:14 +0100] [Job 8] envp[11]="SOFTWARE=CUPS/1.5.3"
D [12/Mar/2015:15:40:14 +0100] [Job 8] envp[12]="TMPDIR=/var/spool/cups/tmp"
D [12/Mar/2015:15:40:14 +0100] [Job 8] envp[13]="USER=root"
D [12/Mar/2015:15:40:14 +0100] [Job 8] envp[14]="CUPS_SERVER=/var/run/cups/cups.sock"
D [12/Mar/2015:15:40:14 +0100] [Job 8] envp[15]="CUPS_ENCRYPTION=IfRequested"
D [12/Mar/2015:15:40:14 +0100] [Job 8] envp[16]="IPP_PORT=631"
D [12/Mar/2015:15:40:14 +0100] [Job 8] envp[17]="CHARSET=utf-8"
D [12/Mar/2015:15:40:14 +0100] [Job 8] envp[18]="LANG=fr_FR.UTF-8"
D [12/Mar/2015:15:40:14 +0100] [Job 8] envp[19]="PPD=/etc/cups/ppd/Xerox-ColorQube-9301.ppd"
D [12/Mar/2015:15:40:14 +0100] [Job 8] envp[20]="RIP_MAX_CACHE=128m"
D [12/Mar/2015:15:40:14 +0100] [Job 8] envp[21]="CONTENT_TYPE=text/plain"
D [12/Mar/2015:15:40:14 +0100] [Job 8] envp[22]="DEVICE_URI=dnssd://Xerox%20ColorQube%209301%20(00%3A00%3AAA%3ADC%3A97%3A8B)._pdl-datastream._tcp.local/"
D [12/Mar/2015:15:40:14 +0100] [Job 8] envp[23]="PRINTER_INFO=Xerox ColorQube 9301"
D [12/Mar/2015:15:40:14 +0100] [Job 8] envp[24]="PRINTER_LOCATION="
D [12/Mar/2015:15:40:14 +0100] [Job 8] envp[25]="PRINTER=Xerox-ColorQube-9301"
D [12/Mar/2015:15:40:14 +0100] [Job 8] envp[26]="PRINTER_STATE_REASONS=none"
D [12/Mar/2015:15:40:14 +0100] [Job 8] envp[27]="CUPS_FILETYPE=document"
D [12/Mar/2015:15:40:14 +0100] [Job 8] envp[28]="FINAL_CONTENT_TYPE=printer/Xerox-

ColorQube-9301"

D [12/Mar/2015:15:40:14 +0100] [Job 8] envp[29]="AUTH_I*****"

I [12/Mar/2015:15:40:14 +0100] [Job 8] Started filter /usr/lib/cups/filter/textonly (PID 2072)

I [12/Mar/2015:15:40:14 +0100] [Job 8] Started backend /usr/lib/cups/backend/dnssd (PID 2073)

D [12/Mar/2015:15:40:14 +0100] cupsdMarkDirty(-----S)

D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Active clients, printing jobs, and dirty files", busy="Active clients and dirty files"

D [12/Mar/2015:15:40:14 +0100] Returning IPP successful-ok for Print-Job (ipp://localhost/printers/Xerox-ColorQube-9301) from localhost

D [12/Mar/2015:15:40:14 +0100] [Job 8] Resolving "Xerox ColorQube 9301 (00:00:AA:DC:97:8B)._pdl-datastream._tcp.local"...

D [12/Mar/2015:15:40:14 +0100] [Job 8] STATE: +connecting-to-device

D [12/Mar/2015:15:40:14 +0100] [Job 8] Resolving "Xerox ColorQube 9301 (00:00:AA:DC:97:8B)", regtype="_pdl-datastream._tcp", domain="local."...

D [12/Mar/2015:15:40:14 +0100] cupsdMarkDirty(-----S)

D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Active clients and dirty files", busy="Active clients, printing jobs, and dirty files"

D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Dirty files", busy="Active clients and dirty files"

D [12/Mar/2015:15:40:14 +0100] [Job 8] Resolved as "socket://192.168.0.24:9100"...

D [12/Mar/2015:15:40:14 +0100] [Job 8] STATE: -connecting-to-device,offline-report

D [12/Mar/2015:15:40:14 +0100] cupsdMarkDirty(-----S)

D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Printing jobs and dirty files", busy="Dirty files"

D [12/Mar/2015:15:40:14 +0100] [Job 8] Executing backend "/usr/lib/cups/backend/socket"...

D [12/Mar/2015:15:40:14 +0100] [Job 8] STATE: +connecting-to-device

D [12/Mar/2015:15:40:14 +0100] cupsdMarkDirty(-----S)

D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Dirty files", busy="Printing jobs and dirty files"

D [12/Mar/2015:15:40:14 +0100] [Job 8] Looking up "192.168.0.24"...

D [12/Mar/2015:15:40:14 +0100] [Job 8] ATTR: marker-colors=#000000,#00FFFF,#FF00FF,#FFFF00,none,none

D [12/Mar/2015:15:40:14 +0100] cupsdMarkDirty(P-----)

D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Dirty files", busy="Dirty files"

D [12/Mar/2015:15:40:14 +0100] [Job 8] ATTR: marker-names=""Cartridge Free ColorQube Black Ink"", ""Cartridge Free ColorQube Cyan Ink"", ""Cartridge Free ColorQube Magenta Ink"", ""Cartridge Free ColorQube Yellow Ink"", ""Waste Tray"", ""Cleaning Unit""

D [12/Mar/2015:15:40:14 +0100] cupsdMarkDirty(P-----)

D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Dirty files", busy="Dirty files"

D [12/Mar/2015:15:40:14 +0100] [Job 8] ATTR: marker-types=solidWax,solidWax,solidWax,solidWax,wasteWax,cleanserUnit

D [12/Mar/2015:15:40:14 +0100] cupsdMarkDirty(P-----)

D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Dirty files", busy="Dirty files"

D [12/Mar/2015:15:40:14 +0100] [Job 8] ATTR: marker-levels=87,99,70,87,-1,70

D [12/Mar/2015:15:40:14 +0100] cupsdMarkDirty(P-----)

D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Dirty files", busy="Dirty files"

D [12/Mar/2015:15:40:14 +0100] [Job 8] new_supply_state=0, change_state=ffff

D [12/Mar/2015:15:40:14 +0100] [Job 8] STATE: -developer-low-report

D [12/Mar/2015:15:40:14 +0100] [Job 8] STATE: -developer-empty-warning

D [12/Mar/2015:15:40:14 +0100] [Job 8] STATE: -marker-supply-low-report

D [12/Mar/2015:15:40:14 +0100] [Job 8] STATE: -marker-supply-empty-warning
D [12/Mar/2015:15:40:14 +0100] [Job 8] STATE: -opc-near-eol-report
D [12/Mar/2015:15:40:14 +0100] [Job 8] STATE: -opc-life-over-warning
D [12/Mar/2015:15:40:14 +0100] [Job 8] STATE: -toner-low-report
D [12/Mar/2015:15:40:14 +0100] [Job 8] STATE: -toner-empty-warning
D [12/Mar/2015:15:40:14 +0100] cupsdMarkDirty(-----S)
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Dirty files", busy="Dirty files"
D [12/Mar/2015:15:40:14 +0100] [Job 8] new_state=4, change_state=ffff
D [12/Mar/2015:15:40:14 +0100] [Job 8] STATE: -media-low-report
D [12/Mar/2015:15:40:14 +0100] [Job 8] STATE: +media-empty-warning
D [12/Mar/2015:15:40:14 +0100] cupsdMarkDirty(P-----)
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Dirty files", busy="Dirty files"
D [12/Mar/2015:15:40:14 +0100] [Job 8] STATE: -door-open-report
D [12/Mar/2015:15:40:14 +0100] [Job 8] STATE: -media-jam-warning
D [12/Mar/2015:15:40:14 +0100] [Job 8] STATE: -input-tray-missing-warning
D [12/Mar/2015:15:40:14 +0100] [Job 8] STATE: -output-tray-missing-warning
D [12/Mar/2015:15:40:14 +0100] [Job 8] STATE: -marker-supply-missing-warning
D [12/Mar/2015:15:40:14 +0100] [Job 8] STATE: -output-area-almost-full-report
D [12/Mar/2015:15:40:14 +0100] [Job 8] STATE: -output-area-full-warning
D [12/Mar/2015:15:40:14 +0100] cupsdMarkDirty(-----S)
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Dirty files", busy="Dirty files"
D [12/Mar/2015:15:40:14 +0100] [Job 8] backendWaitLoop(snmp_fd=5, addr=0x7f55206869b8, side_cb=0x7f551f688180)
D [12/Mar/2015:15:40:14 +0100] [Job 8] PAGE: 1 1
D [12/Mar/2015:15:40:14 +0100] cupsdMarkDirty(-----S)
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Dirty files", busy="Dirty files"
D [12/Mar/2015:15:40:14 +0100] [Job 8] Connecting to 192.168.0.24:9100
I [12/Mar/2015:15:40:14 +0100] [Job 8] Connecting to printer.
D [12/Mar/2015:15:40:14 +0100] [Job 8] Set job-printer-state-message to "Connecting to printer.", current level=INFO
D [12/Mar/2015:15:40:14 +0100] cupsdMarkDirty(-----S)
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Dirty files", busy="Dirty files"
D [12/Mar/2015:15:40:14 +0100] cupsdMarkDirty(-----S)
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Dirty files", busy="Dirty files"
D [12/Mar/2015:15:40:14 +0100] PID 2072 (/usr/lib/cups/filter/textonly) exited with no errors.
D [12/Mar/2015:15:40:14 +0100] [Job 8] STATE: -connecting-to-device
D [12/Mar/2015:15:40:14 +0100] cupsdMarkDirty(-----S)
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Printing jobs and dirty files", busy="Dirty files"
I [12/Mar/2015:15:40:14 +0100] [Job 8] Connected to printer.
D [12/Mar/2015:15:40:14 +0100] [Job 8] Set job-printer-state-message to "Connected to printer.", current level=INFO
D [12/Mar/2015:15:40:14 +0100] cupsdMarkDirty(-----S)
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Printing jobs and dirty files", busy="Printing jobs and dirty files"
D [12/Mar/2015:15:40:14 +0100] cupsdMarkDirty(-----S)
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Printing jobs and dirty files", busy="Printing jobs and dirty files"
D [12/Mar/2015:15:40:14 +0100] [Job 8] Connected to 192.168.0.24:9100...
D [12/Mar/2015:15:40:14 +0100] [Job 8] backendRunLoop(print_fd=0, device_fd=6, snmp_fd=5,

addr=0x7f55206869b8, use_bc=1, side_cb=0x7f551f688180)
I [12/Mar/2015:15:40:14 +0100] [Job 8] Waiting for printer to finish.
D [12/Mar/2015:15:40:14 +0100] [Job 8] Set job-printer-state-message to "Waiting for printer to finish.", current level=INFO
D [12/Mar/2015:15:40:14 +0100] cupsdMarkDirty(-----S)
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Printing jobs and dirty files", busy="Printing jobs and dirty files"
D [12/Mar/2015:15:40:14 +0100] cupsdMarkDirty(-----S)
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Printing jobs and dirty files", busy="Printing jobs and dirty files"
D [12/Mar/2015:15:40:14 +0100] [Job 8] ATTR: marker-levels=87,99,90,100,100,70
D [12/Mar/2015:15:40:14 +0100] cupsdMarkDirty(P-----)
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Printing jobs and dirty files", busy="Printing jobs and dirty files"
D [12/Mar/2015:15:40:14 +0100] [Job 8] new_supply_state=0, change_state=0
D [12/Mar/2015:15:40:14 +0100] cupsdMarkDirty(-----S)
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Printing jobs and dirty files", busy="Printing jobs and dirty files"
D [12/Mar/2015:15:40:14 +0100] [Job 8] new_state=4, change_state=0
I [12/Mar/2015:15:40:14 +0100] [Job 8] Ready to print.
D [12/Mar/2015:15:40:14 +0100] [Job 8] Set job-printer-state-message to "Ready to print.", current level=INFO
D [12/Mar/2015:15:40:14 +0100] cupsdMarkDirty(-----S)
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Printing jobs and dirty files", busy="Printing jobs and dirty files"
D [12/Mar/2015:15:40:14 +0100] cupsdMarkDirty(-----S)
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Printing jobs and dirty files", busy="Printing jobs and dirty files"
D [12/Mar/2015:15:40:14 +0100] PID 2073 (/usr/lib/cups/backend/dnssd) exited with no errors.
D [12/Mar/2015:15:40:14 +0100] cupsdMarkDirty(-----S)
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Printing jobs and dirty files", busy="Printing jobs and dirty files"
I [12/Mar/2015:15:40:14 +0100] [Job 8] Job completed.
D [12/Mar/2015:15:40:14 +0100] cupsdMarkDirty(----J-)
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Printing jobs and dirty files", busy="Printing jobs and dirty files"
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Printing jobs and dirty files", busy="Printing jobs and dirty files"
D [12/Mar/2015:15:40:14 +0100] cupsdMarkDirty(-----S)
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Printing jobs and dirty files", busy="Printing jobs and dirty files"
D [12/Mar/2015:15:40:14 +0100] cupsdAcceptClient: 16 from localhost (Domain)
D [12/Mar/2015:15:40:14 +0100] cupsdAcceptClient: 18 from localhost (Domain)
D [12/Mar/2015:15:40:14 +0100] cupsdReadClient: 16 POST / HTTP/1.1
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Active clients and dirty files", busy="Printing jobs and dirty files"
D [12/Mar/2015:15:40:14 +0100] cupsdAuthorize: No authentication data provided.
D [12/Mar/2015:15:40:14 +0100] cupsdReadClient: 18 POST / HTTP/1.1
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Active clients and dirty files", busy="Active clients and dirty files"

D [12/Mar/2015:15:40:14 +0100] cupsdAuthorize: No authentication data provided.
D [12/Mar/2015:15:40:14 +0100] cupsdReadClient: 18 1.1 Get-Notifications 1
D [12/Mar/2015:15:40:14 +0100] Get-Notifications /
D [12/Mar/2015:15:40:14 +0100] cupsdIsAuthorized: requesting-user-name="snfolc17"
D [12/Mar/2015:15:40:14 +0100] Returning IPP successful-ok for Get-Notifications (/) from localhost
D [12/Mar/2015:15:40:14 +0100] cupsdReadClient: 16 1.1 Get-Jobs 1
D [12/Mar/2015:15:40:14 +0100] Get-Jobs ipp://localhost/printers/
D [12/Mar/2015:15:40:14 +0100] Returning IPP successful-ok for Get-Jobs (ipp://localhost/printers/) from localhost
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Active clients and dirty files", busy="Active clients and dirty files"
D [12/Mar/2015:15:40:14 +0100] cupsdReadClient: 16 WAITING Closing on EOF
D [12/Mar/2015:15:40:14 +0100] cupsdCloseClient: 16
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Active clients and dirty files", busy="Active clients and dirty files"
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Dirty files", busy="Active clients and dirty files"
D [12/Mar/2015:15:40:14 +0100] cupsdAcceptClient: 16 from localhost (Domain)
D [12/Mar/2015:15:40:14 +0100] cupsdReadClient: 18 WAITING Closing on EOF
D [12/Mar/2015:15:40:14 +0100] cupsdCloseClient: 18
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Dirty files", busy="Dirty files"
D [12/Mar/2015:15:40:14 +0100] cupsdReadClient: 15 POST / HTTP/1.1
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Active clients and dirty files", busy="Dirty files"
D [12/Mar/2015:15:40:14 +0100] cupsdAuthorize: No authentication data provided.
D [12/Mar/2015:15:40:14 +0100] cupsdReadClient: 15 1.1 Get-Notifications 1
D [12/Mar/2015:15:40:14 +0100] Get-Notifications /
D [12/Mar/2015:15:40:14 +0100] cupsdIsAuthorized: requesting-user-name="snfolc17"
D [12/Mar/2015:15:40:14 +0100] Returning IPP successful-ok for Get-Notifications (/) from localhost
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Dirty files", busy="Active clients and dirty files"
D [12/Mar/2015:15:40:14 +0100] cupsdAcceptClient: 18 from localhost (Domain)
D [12/Mar/2015:15:40:14 +0100] cupsdReadClient: 18 POST / HTTP/1.1
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Active clients and dirty files", busy="Dirty files"
D [12/Mar/2015:15:40:14 +0100] cupsdAuthorize: No authentication data provided.
D [12/Mar/2015:15:40:14 +0100] cupsdReadClient: 18 1.1 CUPS-Get-Printers 1
D [12/Mar/2015:15:40:14 +0100] CUPS-Get-Printers
D [12/Mar/2015:15:40:14 +0100] Returning IPP successful-ok for CUPS-Get-Printers (no URI) from localhost
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Dirty files", busy="Active clients and dirty files"
D [12/Mar/2015:15:40:14 +0100] cupsdReadClient: 18 POST / HTTP/1.1
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Active clients and dirty files", busy="Dirty files"
D [12/Mar/2015:15:40:14 +0100] cupsdAuthorize: No authentication data provided.
D [12/Mar/2015:15:40:14 +0100] cupsdReadClient: 18 1.1 CUPS-Get-Classes 1
D [12/Mar/2015:15:40:14 +0100] CUPS-Get-Classes

D [12/Mar/2015:15:40:14 +0100] Returning IPP successful-ok for CUPS-Get-Classes (no URI) from localhost
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Dirty files", busy="Active clients and dirty files"
D [12/Mar/2015:15:40:14 +0100] cupsdReadClient: 18 POST / HTTP/1.1
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Active clients and dirty files", busy="Dirty files"
D [12/Mar/2015:15:40:14 +0100] cupsdAuthorize: No authentication data provided.
D [12/Mar/2015:15:40:14 +0100] cupsdReadClient: 18 1.1 CUPS-Get-Default 1
D [12/Mar/2015:15:40:14 +0100] CUPS-Get-Default
D [12/Mar/2015:15:40:14 +0100] Returning IPP successful-ok for CUPS-Get-Default (no URI) from localhost
D [12/Mar/2015:15:40:14 +0100] cupsdSetBusyState: newbusy="Dirty files", busy="Active clients and dirty files"
D [12/Mar/2015:15:40:15 +0100] [Job 8] Unloading...
I [12/Mar/2015:15:40:24 +0100] Saving printers.conf...
I [12/Mar/2015:15:40:24 +0100] Generating printcap /var/run/cups/printcap...
I [12/Mar/2015:15:40:24 +0100] Saving job.cache...
I [12/Mar/2015:15:40:24 +0100] Saving subscriptions.conf...
D [12/Mar/2015:15:40:25 +0100] cupsdSetBusyState: newbusy="Not busy", busy="Dirty files"
D [12/Mar/2015:15:40:25 +0100] cupsdReadClient: 15 POST / HTTP/1.1
D [12/Mar/2015:15:40:25 +0100] cupsdSetBusyState: newbusy="Active clients", busy="Not busy"
D [12/Mar/2015:15:40:25 +0100] cupsdAuthorize: No authentication data provided.
D [12/Mar/2015:15:40:25 +0100] cupsdReadClient: 15 1.1 Get-Job-Attributes 1
D [12/Mar/2015:15:40:25 +0100] Get-Job-Attributes ipp://localhost/jobs/8
D [12/Mar/2015:15:40:25 +0100] [Job 8] Loading attributes...
D [12/Mar/2015:15:40:25 +0100] Returning IPP successful-ok for Get-Job-Attributes (ipp://localhost/jobs/8) from localhost
D [12/Mar/2015:15:40:25 +0100] cupsdSetBusyState: newbusy="Not busy", busy="Active clients"
D [12/Mar/2015:15:40:25 +0100] cupsdReadClient: 15 POST / HTTP/1.1
D [12/Mar/2015:15:40:25 +0100] cupsdSetBusyState: newbusy="Active clients", busy="Not busy"
D [12/Mar/2015:15:40:25 +0100] cupsdAuthorize: No authentication data provided.
D [12/Mar/2015:15:40:25 +0100] cupsdReadClient: 15 1.1 Cancel-Subscription 1
D [12/Mar/2015:15:40:25 +0100] Cancel-Subscription /
D [12/Mar/2015:15:40:25 +0100] cupsdIsAuthorized: requesting-user-name="snfolc17"
D [12/Mar/2015:15:40:25 +0100] cupsdMarkDirty(----S)
D [12/Mar/2015:15:40:25 +0100] cupsdSetBusyState: newbusy="Active clients and dirty files", busy="Active clients"
D [12/Mar/2015:15:40:25 +0100] Returning IPP successful-ok for Cancel-Subscription (/) from localhost
D [12/Mar/2015:15:40:25 +0100] cupsdSetBusyState: newbusy="Dirty files", busy="Active clients and dirty files"
D [12/Mar/2015:15:40:25 +0100] cupsdReadClient: 15 GET /admin/conf/cupsd.conf HTTP/1.1
D [12/Mar/2015:15:40:25 +0100] cupsdSetBusyState: newbusy="Active clients and dirty files", busy="Dirty files"
D [12/Mar/2015:15:40:25 +0100] cupsdAuthorize: No authentication data provided.
D [12/Mar/2015:15:40:25 +0100] cupsdIsAuthorized: username=""
D [12/Mar/2015:15:40:25 +0100] cupsdSendHeader: 15 WWW-Authenticate: Basic realm="CUPS", trc="y"
D [12/Mar/2015:15:40:25 +0100] cupsdCloseClient: 15

D [12/Mar/2015:15:40:25 +0100] cupsdSetBusyState: newbusy="Dirty files", busy="Active clients and dirty files"
D [12/Mar/2015:15:40:25 +0100] cupsdAcceptClient: 15 from localhost (Domain)
D [12/Mar/2015:15:40:25 +0100] cupsdReadClient: 15 GET /admin/conf/cupsd.conf HTTP/1.1
D [12/Mar/2015:15:40:25 +0100] cupsdSetBusyState: newbusy="Active clients and dirty files", busy="Dirty files"
D [12/Mar/2015:15:40:25 +0100] cupsdAuthorize: Authorized as snfolc17 using PeerCred
D [12/Mar/2015:15:40:25 +0100] cupsdIsAuthorized: username="snfolc17"
D [12/Mar/2015:15:40:25 +0100] cupsdIsAuthorized: username="snfolc17"
D [12/Mar/2015:15:40:25 +0100] cupsdSetBusyState: newbusy="Dirty files", busy="Active clients and dirty files"
D [12/Mar/2015:15:40:25 +0100] cupsdReadClient: 15 GET /admin/conf/cupsd.conf HTTP/1.1
D [12/Mar/2015:15:40:25 +0100] cupsdSetBusyState: newbusy="Active clients and dirty files", busy="Dirty files"
D [12/Mar/2015:15:40:25 +0100] cupsdAuthorize: Authorized as snfolc17 using PeerCred
D [12/Mar/2015:15:40:25 +0100] cupsdIsAuthorized: username="snfolc17"
D [12/Mar/2015:15:40:25 +0100] cupsdIsAuthorized: username="snfolc17"
D [12/Mar/2015:15:40:25 +0100] cupsdSetBusyState: newbusy="Dirty files", busy="Active clients and dirty files"
D [12/Mar/2015:15:40:25 +0100] cupsdReadClient: 15 GET /admin/conf/cupsd.conf HTTP/1.1
D [12/Mar/2015:15:40:25 +0100] cupsdSetBusyState: newbusy="Active clients and dirty files", busy="Dirty files"
D [12/Mar/2015:15:40:25 +0100] cupsdAuthorize: Authorized as snfolc17 using PeerCred
D [12/Mar/2015:15:40:25 +0100] cupsdIsAuthorized: username="snfolc17"
D [12/Mar/2015:15:40:25 +0100] cupsdIsAuthorized: username="snfolc17"
D [12/Mar/2015:15:40:25 +0100] cupsdSetBusyState: newbusy="Dirty files", busy="Active clients and dirty files"
D [12/Mar/2015:15:40:25 +0100] cupsdReadClient: 15 PUT /admin/conf/cupsd.conf HTTP/1.1
D [12/Mar/2015:15:40:25 +0100] cupsdSetBusyState: newbusy="Active clients and dirty files", busy="Dirty files"
D [12/Mar/2015:15:40:25 +0100] cupsdAuthorize: Authorized as snfolc17 using PeerCred
D [12/Mar/2015:15:40:25 +0100] cupsdIsAuthorized: username="snfolc17"
I [12/Mar/2015:15:40:25 +0100] Installing config file "/etc/cups/cupsd.conf"..
D [12/Mar/2015:15:40:25 +0100] cupsdSetBusyState: newbusy="Dirty files", busy="Active clients and dirty files"
D [12/Mar/2015:15:40:25 +0100] cupsdCloseClient: 17
D [12/Mar/2015:15:40:25 +0100] cupsdSetBusyState: newbusy="Dirty files", busy="Dirty files"
D [12/Mar/2015:15:40:25 +0100] cupsdCloseClient: 16
D [12/Mar/2015:15:40:25 +0100] cupsdSetBusyState: newbusy="Dirty files", busy="Dirty files"
D [12/Mar/2015:15:40:25 +0100] cupsdCloseClient: 18
D [12/Mar/2015:15:40:25 +0100] cupsdSetBusyState: newbusy="Dirty files", busy="Dirty files"
D [12/Mar/2015:15:40:25 +0100] cupsdCloseClient: 15
D [12/Mar/2015:15:40:25 +0100] cupsdSetBusyState: newbusy="Dirty files", busy="Dirty files"
D [12/Mar/2015:15:40:25 +0100] cupsdDeregisterPrinter(p=0x7f3b266fa110(Xerox-ColorQube-9301), removeit=1)
D [12/Mar/2015:15:40:25 +0100] cupsdNetIFUpdate: "lo" = localhost:631
D [12/Mar/2015:15:40:25 +0100] cupsdNetIFUpdate: "eth0" = 192.168.0.103:631
D [12/Mar/2015:15:40:25 +0100] cupsdNetIFUpdate: "lo" = localhost:631
D [12/Mar/2015:15:40:25 +0100] cupsdNetIFUpdate: "eth0" =
[v1.fe80::21b:b9ff:fea7:a86b+eth0]:631

I [12/Mar/2015:15:40:25 +0100] Saving subscriptions.conf...
D [12/Mar/2015:15:40:25 +0100] cupsdSetBusyState: newbusy="Not busy", busy="Dirty files"
E [12/Mar/2015:15:40:25 +0100] Unknown directive SystemGroup on line 4 of
/etc/cups/cupsd.conf.
E [12/Mar/2015:15:40:25 +0100] Unknown directive JobPrivateAccess on line 90 of
/etc/cups/cupsd.conf.
E [12/Mar/2015:15:40:25 +0100] Unknown directive JobPrivateValues on line 91 of
/etc/cups/cupsd.conf.
E [12/Mar/2015:15:40:25 +0100] Unknown directive SubscriptionPrivateAccess on line 92 of
/etc/cups/cupsd.conf.
E [12/Mar/2015:15:40:25 +0100] Unknown directive SubscriptionPrivateValues on line 93 of
/etc/cups/cupsd.conf.
W [12/Mar/2015:15:40:25 +0100] failed to CreateProfile:
org.freedesktop.ColorManager.AlreadyExists:profile id 'Xerox-ColorQube-9301-Gray..' already
exists
W [12/Mar/2015:15:40:25 +0100] failed to CreateDevice:
org.freedesktop.ColorManager.AlreadyExists:device id 'cups-Xerox-ColorQube-9301' already exists
E [12/Mar/2015:15:40:25 +0100] Failed to update TXT record for Xerox ColorQube 9301 @
snfolc17: -2